

Agriquip

AGRICULTURAL IMPLEMENT WHOLESALERS



Mixing concrete seems to be an on-going task for many jobs around farms and these portable mixers mean you can mix your specific loads when and where you want to. The T400, a mixer of the Agriquip range built to mix concrete, can also be used to blend seeds, fertilizers and even wash vegetables.


T400 CONCRETE MIXER

FEATURES

- 320 litre capacity (250 litre mix capacity)
- 3x paddle's
- Comes with standard with hydraulic top link.



Hydraulic Top Link



3x Paddles



MEASUREMENTS

- Weight : 103kg
- Overall Dimensions (HxWxD): 950mm x 700mm x 1200mm

OPTIONS

- Hydraulic or PTO drive

CONTACT US



ADDRESS

30 Hurlstone Dr, PO Box 578, New Plymouth

PHONE

(06) 7598402

EMAIL

sales@agriquip.co.nz

WEB

www.agriquip.co.nz

AgriEquip

AGRICULTURAL IMPLEMENT WHOLESALERS



DBM750

Mixing concrete seems to be an on-going task for many jobs around farms and these portable mixers mean you can mix your specific loads when and where you want to. Not only concrete can be blended but a wide range of products such as grain mixes, stock-feed and even other forms of agents such as mud! The DBM model concrete mixer can be either lifted using the tractor hydraulics or with pallet forks. Optional hydraulic drive is available or PTO shaft drive is supplied standard.

**DBM750
CONCRETE
MIXER**

FEATURES

- Designed & built in Germany.
- Driven via the tractor PTO through a driveshaft and a heavy duty oiled-filled gearbox
- Comes standard with PTO shaft
- 4 adjustable agitating paddle system
- Can be lifted using the 3 point linkage system or the pallet fork slots
- Large convenient discharge chute

OPTIONS

- Hydraulic drive
- Tilted discharge
- Driveshaft with overload safety device

TECHNICAL SPECS

MODEL: DBM750	
Mixing Capacity	0.75m ³
Output per hour	Ca. 16m ³
Inside diameter	150cm
Tub height	70cm
Filling height	40-45cm
Overall height	125cm
Weight	570kg
Gearbox ratio	1:8
Standard drive type	PTO shaft
No° of mixing paddles	4



Mixing paddles on DBM750

DBM750 on forks



Optional hydraulic drive

CONTACT US

Agricoquip

AGRICULTURAL IMPLEMENT WHOLESALERS



DBM1250

Mixing concrete seems to be an on-going task for many jobs around farms and these portable mixers mean you can mix your specific loads when and where you want to. Not only concrete can be blended but a wide range of products such as grain mixes, stock-feed and even other forms of agents such as mud! The DBM model concrete mixer can be either lifted using the tractor hydraulics or with pallet forks. Optional hydraulic drive is available or PTO shaft drive is supplied standard.

**DBM1250
CONCRETE
MIXER**

FEATURES

- Designed & built in Germany.
- Driven via the tractor PTO through a driveshaft and a heavy duty oiled-filled gearbox
- Comes standard with PTO shaft
- 5 adjustable agitating paddle system
- Can be lifted using the 3 point linkage system or the pallet fork slots
- Large convenient discharge chute



DBM1250

OPTIONS

- Hydraulic drive
- Tilted discharge
- Driveshaft with overload safety device

TECHNICAL SPECS

MODEL: DBM1250

Mixing Capacity	1250L
Engine RPM	1000-1200/U
Output per hour	Ca. 26m ³
Inside diameter	185cm
Tub height	70cm
Weight	930kg



Mixing paddles on DBM750
(5 paddles on a DBM1250)



DBM1250 on forks



Optional hydraulic drive

CONTACT US



ADDRESS

30 Hurlstone Dr, PO Box 578, New Plymouth

PHONE

(06) 759 8402

EMAIL

sales@agriquip.co.nz

WEB

www.agriquip.co.nz