

AgricQuip

AGRICULTURAL IMPLEMENT WHOLESALERS



Model R150

firewood
saw
benches

Convenient, Portable, Simple, Ready to use at any time. These saw benches will knock lengths of timber into shape in no time. All fully safety guarded including a lever operated engagement/disengagement on the PTO models for extra protection. 3 models to choose from that will make wood cutting a pleasure!



FOR YOUR NEAREST DEALER
PHONE (06) 759 8402

features



standard blade



saw engaging lever



fully safety guarded



optional tungsten tip blade




Model R100

Model M655



MODEL	PTO/ELECTRIC	BLADE DIAMETER	CUTTING DEPTH	TABLE DIMENSIONS	OVERALL DIMENSIONS (LxDxH)	WEIGHT
R100	PTO	550mm (21½")	190mm (7½")	630mm x 930mm	930mm x 800mm x 1110mm	65 kg
R150	PTO	550mm (21½")	190mm (7½")	630mm x 930mm	1235mm x 770mm x 1110mm	73 kg
M655	Electric 230V/3HP	450mm (17½")	160mm (6¼")	590mm x 810mm	810mm x 620mm x 1100mm	64 kg

Your Authorised Dealer:




AgriQuip
AGRICULTURAL IMPLEMENT WHOLESALERS

30 Hurlstone Drive, PO Box 578, New Plymouth - Phone: 06 759 8402

AgriQuip

AGRICULTURAL IMPLEMENT WHOLESALERS



4 METRE ELEVATOR

The R700 sawbench takes its place at the top of the range of sawbenches, with an incredible ability to handle sawing through logs with ease. The moving table feeds the logs into the saw making the operation safe and less effort is needed to power through your workload.

R700 Sawbench

For your nearest dealer :

E : sales@agriquip.co.nz


W : www.agriquip.co.nz

P : (06) 759 8402

FEATURES




Folding Tray



Support Arm For Longer Logs



Cutting Length Gauge Rod



Tungsten Tip Blade

MODEL	BLADE DIAMETER	CUTTING DEPTH	TABLE DIMENSIONS	OVERALL DIMENSIONS (LXDXH)	WEIGHT
R700	700mm	300mm	625mm x 290mm/ 250mm (v)	1200mm x 680mm x 1000mm	135kg

CONTACT US

ADDRESS

30 Hurlstone Dr, PO Box 578, New Plymouth

PHONE

(06) 7598402

EMAIL

sales@agriquip.co.nz

WEB

www.agriquip.co.nz

AgriQuip

AGRICULTURAL IMPLEMENT WHOLESALERS



The 4 metre elevator, which can be attached to the R700 sawbench, can load timber directly from the saw into a log store or trailer, saving time and effort.

- PTO Driven
- 4 metre Elevator
- 700mm Tungsten Tipped Blade
- Pivoting Table
- Cutting Diameter 300mm

R700 Sawbench with elevator

For your nearest dealer :

P : 06 759 8402

E : sales@agriquip.co.nz

W : www.agriquip.co.nz

AgriQuip

AGRICULTURAL IMPLEMENT WHOLESALERS



Specifications

Saw Diameter (mm)	700
Mass (kg)	366
Min. Tractor Power (HP)	25
Operating Pressure (bar)	430
Conveyor Belt Width (mm)	250
Conveyor Belt Length (m)	4
Rpm	1500
Min and Max Cutting Diameter (mm)	80-295
Min. and Max Log Length (mm)	500-2000

CONTACT US

ADDRESS

30 Hurlstone Dr, PO Box 578, New Plymouth

PHONE

(06) 7598402

EMAIL

sales@agriquip.co.nz

WEB

www.agriquip.co.nz